

30 years  
of experience

[www.5wl.de](http://www.5wl.de)

1500 mm  
uniqueness

Now new:  
Slip-resistance  
up to R13

*We control the full extent*

**SCHMIDT** EDELSTAHL  
GmbH

# Application / Advantages




**Facades on buildings**



**vandalism-safe  
in public areas**



**free design  
in the objekt area**



**decorative use  
in the design area**

## Specially suited for:

- transport and conveyer technology
- automobile industry
- vehicle construction
- cover panels for machinery
- facades
- cold room floors
- dividing wall construction
- packing machines

## Advantages:

- reduced adhesion as a baffle- and slide-plate
- increased stability and rigidity compared to smooth sheeting
- cost-saving due to thinner material
- cut-optimisation
- enhanced outing optimisation

**1500mm uniqueness**



Order your original sample.



Pattern:  
**SE-5WL**

Standard formats in stock:

2000 x 1000 mm  
2500 x 1250 mm  
3000 x 1250 mm  
3000 x **1500** mm  
6000 x **1500** mm

Fix lengths from coil can  
be delivered in short-term.

## Thicknesses

> 0.5 mm ———  
< 2.0 mm —————

## Grade-No.:

aisi 430 / 304 / 316  
316 L / 441 / 316 Ti

## Surfaces:

• 2R • brushed • el - pol  
• 2B • R11-R13 • coloured

Other basic materials and surfaces possible.



Due to our own production plant in the middle of Germany, we now do have the possibility to produce the pattern SE-5WL as well in a width dimension of 1500 mm.

With our brush- and polish-machinery we are able to produce continuously requested surfaces and therefore we are able to replicate the requested appearance.

The 21-castor-levelling-machine meets the latest standard and provides in combination with the rolling mill the opportunity to produce surfaces certified to the DIN EN ISO 9001:2008.

Compared to the known advantages of the SE-5WL, such as reduced adhesion, more rigidity as against a smooth sheeting as well as a visually

attractive and robust structure, we offer to you additional possibilities to save costs with the help of cut-optimisation.

Optimize your production costs.

An improved interlacing of the width 1500 mm, in combination with your requested length, supports you to reduce setup costs and use your production optimally.

Contact us ...

**Calculate with us !**



### Extract from our production-program

- pattern-embossed sheets
- pattern-rolled sheets
- bottom sheets with certified slip-resistance
- marbled sheets ( up to 2000m width )
- super-mirror sheets
- special finishes up to grain 1000
- profiles and parts of construction
- handrails & handgrips
- sheets for facades

**SCHMIDT** EDELSTAHL  
GmbH

Schmidt Edelstahl GmbH  
Heinrich-Schicht-Strasse 35  
D-42499 Hückeswagen

Fon: +49 (0) 2192/8546-0  
Fax: +49 (0) 2192/8546-29  
e-mail: [info@schmidt-edelstahl.de](mailto:info@schmidt-edelstahl.de)

Niederlassung Süd:  
Hauptstraße 62  
74235 Erlenbach-Binswangen

Fon: +49 (0) 2192/8546-28  
Fax: +49 (0) 2192/8546-260

member of  
information centre  
EDELSTAHL®  
**Rost  
frei**



30 years  
of experience

[www.5wl.de](http://www.5wl.de)

1500 mm  
uniqueness

Now new:  
Slip-resistance  
up to R13

*We control the full extent*

**SCHMIDT** EDELSTAHL  
GmbH



### Extract from our production-program

- pattern-embossed sheets
- pattern-rolled sheets
- bottom sheets with certified slip-resistance
- marbled sheets ( up to 2000m width )
- super-mirror sheets
- special finishes up to grain 1000
- profiles and parts of construction
- handrails & handgrips
- sheets for facades

**SCHMIDT** EDELSTAHL  
GmbH

Schmidt Edelstahl GmbH  
Heinrich-Schicht-Strasse 35  
D-42499 Hückeswagen

Fon: +49 (0) 2192/8546-0  
Fax: +49 (0) 2192/8546-29  
e-mail: [info@schmidt-edelstahl.de](mailto:info@schmidt-edelstahl.de)

Niederlassung Süd:  
Hauptstraße 62  
74235 Erlenbach-Binswangen

Fon: +49 (0) 2192/8546-28  
Fax: +49 (0) 2192/8546-260